



لیست قیمت محصولات هایک ویژن

**HIKVISION** ( HD TURBO )







گارانتی پارس ارتباط و هایکا سرویس

[www.atineh.com](http://www.atineh.com)





۰۲۱-۹۱۰۰۶۰۰۸





۰۲۱-۶۶۳۴۲۴۶۶

قیمت	توضیحات	عکس	مدل محصول
9086000	High quality imaging with 2 MP, 1920 × 1080 resolution , 2.8 mm, 3.6 mm fixed lens , Up to 20 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		<b>DS-2CE16D0T-EXIF 1</b>
12334000	2 MP coaxial audio camera , Enhancing safety with discreet and economical built-in microphone , Transmits audio over the coaxial cable , EXIR 2.0: advanced infrared technology with 30 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE16D0T-ITFS 2</b>
تماس بگیرید	2 MP, 1920 × 1080 resolution, 2.8 mm, 3.6 mm, 6 mm fixed lens , 4 in 1 video output (switchable: TVI/AHD/CVI/CVBS) , Smart IR, up to 25 m IR distance , IP67		<b>DS-2CE16D0T-ITPF 3</b>
11473000	2 MP coaxial audio camera , Enhancing safety with discreet and economical built-in microphone , Transmits audio over the coaxial cable , EXIR 2.0: advanced infrared technology with 25 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE16D0T-ITPFS 4</b>

قیمت	توضیحات	عکس	مدل محصول	
12635000	High quality imaging with 2 MP, 1920 × 1080 resolution , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 30 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		DS-2CE17D0T-IT1F	5
16212000	High quality imaging with 2 MP, 1920 × 1080 resolution , 2.8 mm, 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens , Up to 40 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		DS-2CE17D0T-IT3F	6
15568000	2 MP bullet camera , Strong night performance, capturing images in ultra-low light down to 0.005 lux , Clear imaging even against strong back lighting due to 120 dB true WDR technology , 3D DNR technology delivers clean and sharp images , EXIR 2.0: advanced , 4 In 1 (4 signals switchable TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) infrared technology with 50 m IR distance .		DS-2CE16D3T-IT3F	8
22491000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 20 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		DS-2CE10DF3T-F	9

قیمت	توضیحات	عکس	مدل محصول
23849000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm fixed focal lens ; Up to 20 m white light distance for bright night imaging , High quality audio with audio over coaxial cable, built-in mic , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		<b>DS-2CE10DF3T-FS 10</b>
23429000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 40 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		<b>DS-2CE12DF3T-F 11</b>
26831000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 40 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67) , High quality audio with audio over coaxial cable, built-in mic.		<b>DS-2CE12DF3T-FS 12</b>
11508000	2 MP turret camera , EXIR 2.0: advanced infrared technology with 30 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).		<b>DS-2CE76D0T-ITMF 13</b>





قیمت	توضیحات	عکس	مدل محصول
13167000	2 MP coaxial audio camera , Enhancing safety with discreet and economical built-in microphone , Transmits audio over the coaxial cable , EXIR 2.0: advanced infrared technology with 30 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE76D0T-ITMFS 14</b>
18886000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 20 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS)		<b>DS-2CE70DF3T-PF 15</b>
9373000	High quality imaging with 2 MP, 1920 × 1080 resolution , 2.8 mm, 3.6 mm fixed lens , Up to 20 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS)		<b>DS-2CE76D0T-EXIPF 17</b>
تعمیر و نگهداری	2 MP coaxial audio camera , Enhancing safety with discreet and economical built-in microphone , Transmits audio over the coaxial cable , EXIR 2.0: advanced infrared technology with 40 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE78D0T-IT3FS 18</b>





قیمت	توضیحات	عکس	مدل محصول
7875000	2 MP turret camera , EXIR 2.0: advanced infrared technology with 20 m IR distance , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).		<b>DS-2CE76D0T-ITPF</b> 19
10388000	2 MP coaxial audio camera ; Enhancing safety with discreet and economical built-in microphone , Transmits audio over the coaxial cable, EXIR 2.0: advanced infrared technology with 20 m IR distance , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE76D0T-ITPFS</b> 20
12194000	2 MP turret camera , clear imaging even against strong back lighting due to 120 dB true WDR technology , 3D DNR technology delivers clean and sharp images , EXIR 2.0: advanced infrared technology with 30 m IR distance , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).		<b>DS-2CE76D3T-ITPF</b> 21
18886000	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , 3D DNR technology delivers clean and sharp images , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 20 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS)		<b>DS-2CE70DF0T-PF</b> 22

قیمت	توضیحات	عکس	مدل محصول
تماس بگیرید	High quality imaging with 2 MP, 1920 × 1080 resolution , 24/7 color imaging with F1.0 aperture , Clear imaging against strong back light due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , Up to 40 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		<b>DS-2CE72DF3T-F</b> <b>23</b>
13629000	5 MP bullet camera , EXIR 2.0: advanced infrared technology with 20 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE16H0T-ITF</b> <b>24</b>
تماس بگیرید	5 MP bullet camera , EXIR 2.0: advanced infrared technology with 25 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE16H0T-ITPF</b> <b>25</b>
14539000	5 MP, 2560 × 1944 resolution , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Digital WDR , Smart IR , up to 25 m IR distance , Audio over coaxial cable, built-in mic , 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) , IP67		<b>DS-2CE16H0T-ITPFS</b> <b>26</b>





قیمت	توضیحات	عکس	مدل محصول	
تماس بگیرید	5 MP, 2560 × 1944 resolution , Digital WDR , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Smart IR, up to 30 m IR distance , Audio over coaxial cable, built-in mic , 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) , IP67		<b>DS-2CE16H0T-ITFS</b>	<b>27</b>
16310000	High quality imaging with 5 MP, 2560 × 1944 resolution , 2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens , Up to 40 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67)		<b>DS-2CE17H0T-IT3F</b>	<b>28</b>
تماس بگیرید	High quality imaging with 5 MP, 2560 × 1944 resolution , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 40 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67) , High quality audio with audio over coaxial cable, built-in mic		<b>DS-2CE17H0T-IT3FS</b>	<b>30</b>
تماس بگیرید	5 MP full time color turret camera , 24/7 full color imaging , 2.8 mm fixed focal lens , Warm supplemental light with 20 m range , Clear imaging even against strong back lighting due to 130 dB true WDR technology , 3D DNR technology delivers clean and sharp images , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).		<b>DS-2CE72HFT-F28</b>	<b>31</b>







قیمت	توضیحات	عکس	مدل محصول
تعماس بگیریید	5 MP turret camera , EXIR 2.0: advanced infrared technology with 40 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE78H0T-IT3F 32</b>
تعماس بگیریید	5 MP turret camera , EXIR 2.0: advanced infrared technology with 30 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE78H0T-IT1F 33</b>
تعماس بگیریید	5 MP turret camera , EXIR 2.0: advanced infrared technology with 20 m IR distance , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE76H0T-ITPF 34</b>
تعماس بگیریید	5 MP, 2560 × 1944 resolution , Digital WDR , 2.8 mm, 3.6 mm, 6 mm fixed focal lensa , Smart IR, up to 20 m IR distance , Audio over coaxial cable, built-in mic , 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE76H0T-ITPFS 35</b>

قیمت	توضیحات	عکس	مدل محصول
15008000	5 MP turret camera , EXIR 2.0: advanced infrared technology with 30 m IR distance , Water and dust resistant (IP67) , 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		<b>DS-2CE76H0T-ITMF 36</b>
17003000	5 MP, 2560 × 1944 resolution , Digital WDRa , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Smart IR, up to 30 m IR distance , Audio over coaxial cable, built-in mic , 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) , IP67		<b>DS-2CE76H0T-ITMFS 37</b>
تعمیر بگیرد	8 MP high performance turret camera , Strong night performance, capturing images in ultra-low light down to 0.003 lux , Clear imaging even against strong back lighting due to 120 dB true WDR technology , 3D DNR technology delivers clean and sharp images , EXIR 2.0: advanced infrared technology with 50 m IR distance , Water and dust resistant (IP67) , Dual outputs (HDTVI and CVBS signals output simultaneously)		<b>DS-2CE78U8T-IT3 38</b>
تعمیر بگیرد	High quality imaging with 3K, 2960 × 1665 resolution , 24/7 color imaging with F1.0 aperture , 2.8 mm, 3.6 mm fixed focal lens , Up to 20 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67) , High quality audio with audio over coaxial cable, built-in mic		<b>DS-2CE10KF0T-FS 39</b>

قیمت	توضیحات	عکس	مدل محصول
تعماس بگیریید	High quality imaging with 3K, 2960 × 1665 resolution , 24/7 color imaging with F1.0 aperture , 2.8 mm, 3.6 mm, 6 mm fixed focal lens , Up to 40 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67) , High quality audio with audio over coaxial cable, built-in mic		<b>DS-2CE12KF0T-FS 40</b>
تعماس بگیریید	High quality imaging with 3K, 2960 × 1665 resolution , 24/7 color imaging with F1.0 aperture , 2.8 mm and 3.6 mm fixed focal lens , Up to 40 m white light distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS) , Water and dust resistant (IP67) , High-quality audio with audio over coaxial cable, built-in mic		<b>DS-2CE72KF0T-FS 41</b>
تعماس بگیریید	2.8 mm to 12 mm varifocal lens , Up to 40 m IR distance for bright night imaging , One port for four switchable signals (TVI/AHD/CVI/CVBS)		<b>DS-2CE56D0T-VFIR3F 42</b>
تعماس بگیریید	2 MP varifocal bullet camera , 2.8 mm to 12 mm varifocal lens , Up to 40 m IR distance for bright night imaging , Water and dust resistant (IP66) , One port for four switchable signals (TVI/AHD/CVI/CVBS)		<b>DS-2CE16D0T-VFIR3F 43</b>

قیمت	توضیحات	عکس	مدل محصول
52304000	4 channels and 1 HDD 1U AcuSense DVR , False alarm reduction by human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 8 MP lite @ 15 fps , 5 MP @ 12 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 8 network cameras can be connected.		IDS-7204HUHI-M1/S 44
32564000	4 channels and 1 HDD 1U AcuSense DVR , False alarm reduction through human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 5 network cameras can be connected.		IDS-7204HQHI-M1/S 45
تماس بگیرید	8 channels and 1 HDD 1U AcuSense DVR , False alarm reduction through human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 12 network cameras can be connected.		IDS-7208HQHI-M1/S 46
84427000	8 channels and 1 HDD 1U AcuSense DVR , False alarm reduction by human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 8 MP @ 8 fps , 5 MP @ 12 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 16 network cameras can be connected.		IDS-7208HUHI-M1/S 47

قیمت	توضیحات	عکس	مدل محصول
تعماس بگیریید	16 channels and 1 HDD 1U AcuSense DVR , 16 channels and 1 HDD 1U AcuSense DVR , False alarm reduction through human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 24 network cameras can be connected.		<b>IDS-7216HQHI-M1/S 48</b>
<b>156863000</b>	16 channels and 1 HDD 1U AcuSense DVR , False alarm reduction through human and vehicle target classification based on deep learning , Efficient H.265 pro+ compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 24 network cameras can be connected.		<b>IDS-7216HUHI-M1/S 49</b>
تعماس بگیریید	16 channels and 1 HDD 1U AcuSense DVR , False alarm reduction through human and vehicle target classification based on deep learning , Efficient H.265 pro+ , compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 24 network cameras can be connected.		<b>IDS-7216HQHI-M2/S 50</b>
تعماس بگیریید	32 channels and 2 HDDs 1U DVR , Efficient H.265 pro+ compression technology , Encoding ability up to 1080p @ 15 fps , 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) , Up to 40 network cameras can be connected.		<b>DS-7232HQHI-K2 51</b>